

To: Diaz, Sandra[Diaz.Sandra@epa.gov]
From: Meyer, George
Sent: Fri 4/12/2013 1:40:10 PM
Subject: FW: Response to AES comments on EPA's assessment of Agremax

Sandra , pls set up a meeting next week in my office between me,blenny g. , gary Nurkin and paul simon.
One hour .

From: Simon, Paul
Sent: Friday, April 12, 2013 8:48 AM
To: Meyer, George
Subject: Re: Response to AES comments on EPA's assessment of Agremax

Ok. Thx

From: Meyer, George
Sent: Friday, April 12, 2013 8:29:14 AM
To: Nurkin, Gary; Simon, Paul; Grossman, Lenny
Cc: Sawyer, William
Subject: RE: Response to AES comments on EPA's assessment of Agremax

As I may have indicated (to Paul) yesterday, Lenny is setting up this call with Claudia's assistance. We will be calling Greg (once we get dates and times from the PR senator) to set up the conference call and we can go over any questions we may have at that time. We should meet before the call to Greg and I will have Sandra set up a meeting for next week.

From: Nurkin, Gary
Sent: Friday, April 12, 2013 7:38 AM
To: Simon, Paul; Grossman, Lenny; Meyer, George
Cc: Sawyer, William
Subject: RE: Response to AES comments on EPA's assessment of Agremax

Ex. 5 - Deliberative and Atty. Work Prod.

From: Simon, Paul
Sent: Thursday, April 11, 2013 5:58 PM
To: Grossman, Lenny; Meyer, George; Nurkin, Gary
Cc: Sawyer, William
Subject: FW: Response to AES comments on EPA's assessment of Agremax

Ex. 5 - Deliberative and Atty. Work Prod.

Ex. 5 - Deliberative and Atty. Work Prod.

From: Helms, Greg
Sent: Thursday, April 04, 2013 11:25 AM
To: Nurkin, Gary; Simon, Paul
Cc: Devlin, Betsy; Elliott, Ross
Subject: Response to AES comments on EPA's assessment of Agremax

Gary-

I apologize for this taking longer than I anticipated. I had hoped to complete it before I was out last week.

Please call or email me if you have comments or want to discuss.

Thanks.

Gregory Helms
U.S. EPA
Acting Chief, Waste Characterization Branch
Office of Solid Waste and Emergency Response
phone: 703-308-8845
fax: 703-308-0514
helms.greg@epa.gov

Address for regular/USPS mail:
1200 Pennsylvania Ave. NW
Mail Code 5304P
Washington, DC 20460

Address for overnight/hand delivery mail:
Two Potomac Yard
2733 S. Crystal Dr.
5th Floor; N-5611
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:
www.epa.gov/epawaste/inforesources/pubs/orientat/